

**File No. 16/12/97-VS-I
GOVERNMENT OF INDIA
DIRECTORATE GENERAL
(VIGILANCE UNIT)
CENTRAL PUBLIC WORKS DEPARTMENT
NIRMAN BHAWAN, NEW DELHI**

Dated: 20th November, 2012

OFFICE MEMORANDUM

Sub: Rotation of officials working in sensitive posts - addition / deletion of posts to / from the list of sensitive units - regarding.

Ref: 1. Under Secretary (Admn) No.A-22012/3/2001-Admn.I dtd 10th May, 2012

Please refer this office even letter No. dtd 18.6.99 (copy enclosed) addressed to Director, CVC, wherein the following posts/units in CPWD were identified as sensitive.

- (A) Field Units (Construction, Maintenance & Central Stores)
- (B) Encadared posts in Central Board of Direct Taxes (Valuation & Appropriate Authority)
- (C) Vigilance & Quality Assurance Units
- (D) Posts dealing with establishment matters viz. promotions, postings & transfers.

Since as the field units Central Stores under Sl. No. (A) and Encadared posts in Central Board of Direct Taxes (Appropriate Authority) under Sl. No. (B) are abolished in the department.

It is, therefore, decided that these posts may be deleted from the list of sensitive posts. Now final list of sensitive posts shall be as follows:


- (A) Field Units (Construction & Maintenance) of CPWD including PWD NCTD.
- (B) Encadared posts in Central Board of Direct Taxes (Valuation) including field units of Min. of E&F.
- (C) Vigilance & Quality Assurance Units.
- (D) Posts dealing with establishment matters viz. promotions, postings & transfers.

This issues with the approval of DG/CPWD


(E.P. Goyal)
Executive Engineer (V) HQ

Copy to:

1. The Director, CVC, Satarkta Bhawan, INA, New Delhi.
2. Shri Jitender Kumar, Under Secretary (Admn.), Min. of Urban Development, Nirman Bhawan, New Delhi.
3. All concerned CPWD officers through CPWD - Website for kind information.


Executive Engineer (V) HQ

SI-N-89 (9)

-10-

Regd. A.D.
By Spl. Messenger

No. 16/12/97-VS.I
GOVERNMENT OF INDIA
DIRECTORATE GENERAL OF WORKS
CENTRAL PUBLIC WORKS DEPARTMENT
VIGILANCE UNIT, NIRMAN BHAWAN, NEW DELHI

Dated

18 June, 1999

To,

Shri **P. S. Fatehullah**,
Director, Central Vigilance Commission,
Starkata Bhawan, Block 'A',
GPO Complex, INA,
New Delhi - 110 023.

Subject: **Rotation of Officials working in sensitive posts**
Reference: No. 98/VGL/60 dated 15.04.99 of CVC

P. 242

Sir,

In pursuance of the letter under reference from the Central Vigilance Commission, the following posts/Units in CPWD were identified as sensitive vide letter No. 16/12/97-VSI dated 14.05.99:

- (a) Field Units (Construction, Maintenance & Central Stores)
- (b) Encadared posts in Central Board of Direct taxes (Valuation & Appropriate Authority)
- (c) Vigilance and Quality Assurance Units
- (d) Posts dealing with establishment matters Viz. Promotions, postings & transfers

The frequency of rotation was stated wrongly in the aforesaid letter dated 14.05.99. The frequency of rotation for the posts/units at (c) & (d) can be 2 to 3 years and for the posts/units at (a) & (b) the desirable frequency of rotation is 3 to 4 years.

This issues with the approval of Director General (Works),

o/c (O. P. Bhatia)
Superintending Engineer (Vigilance) II

Copy along with a copy of letter under reference to:

- 1 to 8: All ADGs and E-in-C PWD, Govt. of Delhi. - S&P, TD, SR, NR, ER, Border, WR, Arch. & E-in-c, PWD, GNDTE
- 9: Chief Engineer (P&S)
- 10: Director Administration
- 11: Superintending Engineer (Co-ord.)(Civil), New Delhi
- 12: Superintending Engineer (Co-ord.)(Elect.), New Delhi
- 13 to 15: Superintending Engineer (Co-ord.) - ER, WR & SR

Encl.: Overleaf

o/c (O. P. Bhatia)
Superintending Engineer (Vigilance) II

2/2/99