

No. 10/V-6A/(A-253)/2015-VSI
Government of India



Office of JS & CVO
Vigilance Unit, CPWD
Nirman Bhawan, New Delhi-110108

Dated the 7th October, 2016

To

The Additional Director General(S&P),
Central Public Works Department,
Nirman Bhawan,
New Delhi.

Sub: Regarding effective monitoring of Implementation of Transfer and Posting orders.

**Ref:- 1. Vigilance Unit letter No.10/V-6A/(A-253)/2015-VS.I dated 02.08.2016.
2. DD(Admn.V) letter No.18/05/2016-EC.III dated 03.10.2016.**

Kindly refer Vigilance Unit letter dated 02.08.2016(copy enclosed) wherein it was requested that a mechanism need to be put in place to monitor the compliance of transfer and posting orders issued by competent authorities. It has been observed that the letter of DD(Admn.-V) under reference has not understood the sanctity of Vigilance Unit letter dated 2nd August, 2016 and just informed about some features available in PIMS, without any action on the issue raised in Vigilance Unit letter dated 2nd August, 2016.

In view of above, it is again requested that for effective monitoring of implementation of transfer and posting orders, a Committee of Officers need to be constituted who shall monitor all transfer and posting orders issued by various competent authorities in CPWD within certain time frame of say 15 days/30 days and initiate suitable disciplinary action against controlling officers who defies such orders until and unless, the orders are modified with express approval of the competent authority.

This issues with the approval, CVO, CPWD.

(Anil Kumar Gupta)
Executive Engineer(V) 25

Copy through web site:-

1. Special Director General(NR, WR, SR,& ER) to direct respective DDG(Coordination) to implement the compliance of order. The compliance of the implementation of orders pertaining to officials upto the rank of Assistant Engineer issued so far is required to be sent to Vigilance Unit.
2. AE(Vigilance), CPWD for uploading on web site.


Executive Engineer(V) 25

Confidential

No. 10/V-6A/(A-253)/2015-VSI
Government of India



Office of JS & CVO
Vigilance Unit, CPWD
Nirman Bhawan, New Delhi-110108

Dated the 2nd August, 2016

To

The Special Director General(HQ),
Central Public Works Department,
Nirman Bhawan,
New Delhi.


Sub: Regarding effective monitoring of Implementation of Transfer and Posting orders.

Sir,

In a complaint received from Assistant Engineer, CPWD, it has been alleged that his inter regional transfer orders issued in 2010 were not modified whereas orders of 3 AEs were modified/revised during subsequent years. These orders issued in 2010-2011 were cancelled during 2013 and 2014. It has been observed that had there been suitable mechanism in place for monitoring implementation of orders of transfer, this complaint would not have aroused.

In view of above, it is requested that a mechanism need to be put in place to monitor the compliance of all transfer and posting orders issued by competent authorities.

This issues with the approval of DG, CPWD.


(Anil Kumar Gupta)
Executive Engineer (V) 25

Issued
2/8/16